


AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the application.

Claims 1-18 (canceled)

Claim 19 (currently amended): A synergistic fungicidal active compound combination comprising


(1) a carboxamide of the formula (I) (group 1)



in which

R¹ represents hydrogen, ~~halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,~~

A represents ~~one of the radicals~~ a radical A1 to A8



R² represents ~~C₁-C₃-alkyl~~ methyl,

R³ represents ~~hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,~~ methyl, and

R⁴ represents ~~hydrogen, halogen or C₁-C₃-alkyl~~ fluorine ,

R^5 —represents halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

R^6 —represents hydrogen, halogen, C_1 - C_3 -alkyl, amino, or mono- or di(C_1 - C_3 -alkyl)amino,

R^7 —represents hydrogen, halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,


R^8 —represents halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

R^9 —represents halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms, and

R^{10} —represents hydrogen, halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,


and at least one active compound selected from groups (2) to (3), (5), (6), (8), (9), (11), (12), (14), (16) to (22), and (24)

(2) a strobilurin of formula (II)



in which


A^1 represents one of the groups



A^2 represents NH or O,

A^3 represents N or CH,

L represents one of the groups




where the bond marked with an asterisk (*) is attached to the phenyl ring of formula (II),

R^{11} represents phenyl, phenoxy, or pyridinyl, each of which is optionally mono- or disubstituted by identical or different substituents selected from the group consisting of chlorine, cyano, methyl, and trifluoromethyl; represents 1-(4-chlorophenyl)-pyrazol-3-yl; or represents 1,2-propanedione-bis(O-methyloxime)-1-yl, and

R^{12} represents hydrogen or fluorine;

(3) a triazole of formula (III)



in which

Q represents hydrogen or SH,

m represents 0 or 1,


R^{13} represents hydrogen, fluorine, chlorine, phenyl, or 4-chlorophenoxy,

R^{14} represents hydrogen or chlorine,

A^4 represents a direct bond, $-CH_2-$, $-(CH_2)_2-$, or $-O-$; or represents $^*-CH_2-CHR^{17}-$ or $^*-CH=CR^{17}-$, where the bond marked with * is attached to the phenyl ring of formula (III) and R^{15} and R^{17} together represent $-CH_2-CH_2-CH[CH(CH_3)_2]-$ or $-CH_2-CH_2-C(CH_3)_2-$,

A^5 represents C or Si (silicon), or

A^4 represents $-N(R^{17})-$ and A^5 together with R^{15} and R^{16} represents the group $C=N-R^{18}$ and R^{17} and R^{18} together represent the group




R^{15} represents hydrogen, hydroxyl, or cyano,

R¹⁶ represents 1-cyclopropylethyl, 1-chlorocyclopropyl, C₁-C₄-alkyl, C₁-C₆-hydroxyalkyl, C₁-C₄-alkylcarbonyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, trimethylsilyl-C₁-C₂-alkyl, monofluorophenyl, or phenyl, or

R¹⁵ and R¹⁶ together represent -O-CH₂-CH(R¹⁸)-O-, -O-CH₂-CH(R¹⁸)-CH₂-, or -O-CH-(2-chlorophenyl)-, and

R¹⁸ represents hydrogen, C₁-C₄-alkyl, or bromine;

~~(4) a sulphenamide of formula (IV)~~



~~in which R¹⁹ represents hydrogen or methyl;~~


(5) a valinamide selected from the group consisting of

(5-1) iprovalicarb,

(5-2) N¹-[2-(4-[[3-(4-chlorophenyl)-2-propynyl]oxy]-3-methoxyphenyl)ethyl]-N²-(methylsulphonyl)-D-valinamide, and

(5-3) bentiavalicarb;

(6) a carboxamide of formula (V)




in which

X represents 2-chloro-3-pyridinyl; represents 1-methylpyrazol-4-yl that is substituted in the 3-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine; represents 4-ethyl-2-ethylamino-1,3-thiazol-5-yl; represents 1-methyl-cyclohexyl; represents 2,2-dichloro-1-ethyl-3-methylcyclopropyl; represents 2-fluoro-2-propyl; ~~represents phenyl that is mono- to trisubstituted by identical or different substituents selected from the group consisting of chlorine and methyl;~~ represents 3,4-dichloroisothiazol-5-yl, 5,6-dihydro-2-methyl-1,4-oxathiin-3-yl, 4-methyl-1,2,3-thiadiazol-5-yl, 4,5-dimethyl-2-trimethylsilylthiophen-3-yl, or 1-

methylpyrrol-3-yl that is substituted in the 4-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine,

Y represents a direct bond; represents C₁-C₆-alkanediyl (alkylene) that is optionally substituted by chlorine, cyano, or oxo; represents thiophenediyl; or represents C₂-C₆-alkenediyl (alkenylene),

Z represents hydrogen; represents C₁-C₆-alkyl; or represents the group



in which

A⁶ represents CH or N,

R²⁰ represents hydrogen, chlorine, phenyl that is optionally mono- or disubstituted by identical or different substituents selected from the group consisting of chlorine and di(C₁-C₃-alkyl)aminocarbonyl; or represents cyano or C₁-C₆-alkyl,

R²¹ represents hydrogen or chlorine, or

R²⁰ and R²¹ together represent *-CH(CH₃)-CH₂-C(CH₃)₂- or

*-CH(CH₃)-O-C(CH₃)₂- where the bond marked with * is attached to R²⁰, and

R²² represents hydrogen, chlorine, hydroxyl, methyl, or trifluoromethyl; or represents di(C₁-C₃-alkyl)aminocarbonyl;

~~(7) — a dithiocarbamate selected from the group consisting of~~

~~(7-1) — mancozeb,~~

~~(7-2) — maneb,~~

~~(7-3) — metiram,~~


~~(7-4) — propineb,~~

~~(7-5) — thiram,~~

~~(7-6) — zineb, and~~

~~(7-7) — ziram;~~

- (8) an acylalanine of formula (VI)




in which

* marks a carbon atom in the R or the S configuration, and


R²³ represents benzyl, furyl, or methoxymethyl;

- (9) an anilinopyrimidine of formula (VII)



in which R²⁴ represents methyl, cyclopropyl, or 1-propynyl;

- ~~(10) a benzimidazole of formula (VIII)~~




~~in which~~

~~R²⁵ and R²⁶ each represent hydrogen or together represent -O-CF₂-O-,~~

~~R²⁷ represents hydrogen, C₁-C₄-alkylaminocarbonyl, or 3,5-dimethylisoxazol-4-ylsulphonyl, and~~

~~R²⁸ represents chlorine, methoxycarbonylamino, chlorophenyl, furyl, or thiazolyl;~~

- (11) a carbamate of formula (IX)



or a salt thereof,

in which

R²⁹ represents n- or isopropyl, and

- R^{30} represents di(C_1 - C_2 -alkyl)amino- C_2 - C_4 -alkyl or diethoxyphenyl,
- (12) a dicarboximide selected from the group consisting of
- (12-1) captafol,
 - (12-2) captan,
 - (12-3) folpet,
 - (12-4) iprodione,
 - (12-5) procymidone, or
 - (12-6) vinclozolin;
- ~~(13) a guanidine selected from the group consisting of~~
- ~~(13-1) dodine,~~
 - ~~(13-2) guazatine,~~
 - ~~(13-3) iminoctadine triacetate, and~~
 - ~~(13-4) iminoctadine tris(albesilate);~~
- (14) an imidazole selected from the group consisting of
- (14-1) cyazofamid,
 - (14-2) prochloraz,
 - (14-3) triazoxide, and
 - (14-4) pefurazoate;
- ~~(15) a morpholine of formula (X)~~




~~in which~~

~~R^{31} and R^{32} independently of one another represent hydrogen or methyl,~~

~~R^{33} represents C_1 - C_{14} -alkyl, C_5 - C_{12} -cycloalkyl, phenyl- C_1 - C_4 -alkyl that is optionally substituted in the phenyl moiety by halogen or C_1 - C_4 -alkyl; or represents acrylyl that is substituted by chlorophenyl or dimethoxyphenyl;~~

- (16) a pyrrole of general formula (XI)



in which

R^{34} represents chlorine or cyano,

R^{35} represents chlorine or nitro, and

R^{36} represents chlorine, or


R^{35} and R^{36} together represent $-O-CF_2-O-$;

- (17) a phosphonate selected from the group consisting of

(17-1) fosetyl-Al, and

(17-2) phosphonic acid;

- (18) a phenylethanamide of formula (XII)



in which R^{37} represents unsubstituted or fluorine-, chlorine-, bromine-, methyl-, or

ethyl-substituted phenyl, 2-naphthyl, 1,2,3,4-tetrahydronaphthyl, or indanyl;

- (19) a fungicides fungicide selected from the group consisting of

(19-1) acibenzolar-S-methyl,

~~(19-2) chlorothalonil,~~

(19-3) cymoxanil,

(19-4) edifenphos,

(19-5) famoxadone,

(19-6) fluazinam,


(19-7) copper oxychloride,

(19-8) copper hydroxide,

(19-9) oxadixyl,

(19-10) spiroxamine,


- (19-11) dithianon,
- (19-12) metrafenone,
- (19-13) fenamidone,
- (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
- (19-15) probenazole,
- (19-16) isoprothiolane,
- (19-17) kasugamycin,
- (19-18) phthalide,
- (19-19) ferimzone,
- (19-20) tricyclazole,
- (19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxy-benzamide, and
- (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide;
- (20) a (thio)urea derivative selected from the group consisting of
 - (20-1) pencycuron,
 - (20-2) thiophanate-methyl, and
 - (20-3) thiophanate-ethyl;
- (21) an amide of formula (XIII)



in which

- A^7 represents a direct bond or -O-,
- A^8 represents -C(=O)NH- or -NHC(=O)-,
- R^{38} represents hydrogen or C_1 - C_4 -alkyl, and
- R^{39} represents C_1 - C_6 -alkyl;

(22) a triazolopyrimidine of formula (XIV)



in which

R⁴⁰ represents C₁-C₆-alkyl or C₂-C₆-alkenyl,

R⁴¹ represents C₁-C₆-alkyl, or

R⁴⁰ and R⁴¹ together represent C₄-C₅-alkanediyl (alkylene) that is mono- or disubstituted by C₁-C₆-alkyl,


R⁴² represents bromine or chlorine,

R⁴³ and R⁴⁷ independently of one another represent hydrogen, fluorine, chlorine, or methyl,

R⁴⁴ and R⁴⁶ independently of one another represent hydrogen or fluorine, and

R⁴⁵ represents hydrogen, fluorine or methyl; and

~~(23) an iodochromone of general formula (XV)~~




~~in which~~

~~R⁴⁸ represents C₁-C₆-alkyl, and~~


~~R⁴⁹ represents C₁-C₆-alkyl, C₂-C₆-alkenyl or C₂-C₆-alkynyl; and~~

(24) a biphenylcarboxamide of formula (XVI)



in which

R⁵⁰ represents hydrogen or fluorine,
 R⁵¹ represents fluorine, chlorine, bromine, methyl, trifluoromethyl, trifluoromethoxy, -CH=N-OMe, or -C(Me)=N-OMe,
 R⁵² represents hydrogen, fluorine, chlorine, bromine, methyl, or trifluoromethyl,
 Het represents one of the radicals Het1 to Het7



R⁵³ represents iodine, methyl, difluoromethyl, or trifluoromethyl,
 R⁵⁴ represents hydrogen, fluorine, chlorine, or methyl,
 R⁵⁵ represents methyl, difluoromethyl, or trifluoromethyl,
 R⁵⁶ represents chlorine, bromine, iodine, methyl, difluoromethyl, or trifluoromethyl, and
 R⁵⁷ represents methyl or trifluoromethyl.

Claim 20 (canceled)

Claim 21 (currently amended): A synergistic fungicidal active compound combination according to Claim 19 where the active compound of groups (2) to (3), (5), (6), (8), (9), (11), (12), (14), (16) to (22), and (24) is one or more compounds selected from the group consisting of

- (2-1) azoxystrobin,
- (2-2) fluoxastrobin,

- (2-3) (2*E*)-2-(2-{{6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl}oxy}phenyl)-2-(methoxyimino)-*N*-methylethanamide,
- (2-4) trifloxystrobin,
- (2-5) (2*E*)-2-(methoxyimino)-*N*-methyl-2-(2-{{((1*E*)-1-[3-(trifluoromethyl)phenyl]ethyliden}amino)oxy}methyl}phenyl)ethanamide,
- (2-6) (2*E*)-2-(methoxyimino)-*N*-methyl-2-{2-[(*E*)-({1-[3-(trifluoromethyl)phenyl]ethoxy}imino)methyl]phenyl}ethanamide,
- (2-7) orysastrobin,
- (2-8) 5-methoxy-2-methyl-4-(2-{{((1*E*)-1-[3-(trifluoromethyl)phenyl]ethyliden}amino)-oxy}methyl}phenyl)-2,4-dihydro-3*H*-1,2,4-triazol-3-one,
- (2-9) kresoxim-methyl,
- (2-10) dimoxystrobin,
- (2-11) picoxystrobin,
- (2-12) pyraclostrobin,
- (2-13) metominostrobin,
- (3-1) azaconazole,
- (3-2) etaconazole,
- (3-3) propiconazole,
- (3-4) difenoconazole,
- (3-5) bromuconazole,
- (3-6) cyproconazole,
- (3-7) hexaconazole,
- (3-8) penconazole,
- (3-9) myclobutanil,
- (3-10) tetraconazole,
- (3-11) flutriafol,
- (3-12) epoxiconazole,
- (3-13) flusilazole,
- (3-14) simeconazole,
- (3-15) prothioconazole,

- (3-16) fenbuconazole,
- (3-17) tebuconazole,
- (3-18) ipconazole,
- (3-19) metconazole,
- (3-20) triticonazole,
- (3-21) bitertanol,
- (3-22) triadimenol,
- (3-23) triadimefon,
- (3-24) fluquinconazole,
- (3-25) quinconazole,
- ~~(4-1) — dichlofluanid,~~
- ~~(4-2) — tolylfluanid,~~
- (5-1) iprovalicarb,
- (5-3) benthiavalicarb,
- (6-1) 2-chloro-N-(1,1,3-trimethylindan-4-yl)nicotinamide,
- (6-2) boscalid,
- (6-3) furametpyr,
- (6-4) N-(3-p-tolylthiophen-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide,
- (6-5) ethaboxam,
- (6-6) fenhexamid,
- (6-7) carpropamid,
- (6-8) 2-chloro-4-(2-fluoro-2-methylpropionylamino)-N,N-dimethylbenzamide,
- ~~(6-9) — picobenzamid,~~
- ~~(6-10) — zoxamide,~~
- (6-11) 3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide,
- (6-12) carboxin,
- ~~(6-13) — tiadinil,~~
- (6-14) penthiopyrad,
- (6-15) silthiofam,

- (6-16) *N*-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1*H*-pyrrole-3-carboxamide,
- ~~(7-1) mancozeb,~~
- ~~(7-2) maneb,~~
- ~~(7-3) metiram,~~
- ~~(7-4) propineb,~~
- ~~(7-5) thiram,~~
- ~~(7-6) zineb,~~
- ~~(7-7) ziram,~~
- (8-1) benalaxyl,
- (8-2) furalaxyl,
- (8-3) metalaxyl,
- (8-4) metalaxyl-M,
- (8-5) benalaxyl-M,
- (9-1) cyprodinil,
- (9-2) mepanipyrim,
- (9-3) pyrimethanil,
- ~~(10-1) 6-chloro-5-[(3,5-dimethylisoxazol-4-yl)sulphonyl]-2,2-difluoro-5*H*-[1,3]dioxolo[4,5-*f*]benzimidazole,~~
- ~~(10-2) benomyl,~~
- ~~(10-3) carbendazim,~~
- ~~(10-4) chlorfenazole,~~
- ~~(10-5) fuberidazole,~~
- ~~(10-6) thiabendazole,~~
- (11-1) diethofencarb,
- (11-2) propamocarb,
- (11-3) propamocarb-hydrochloride,
- (11-4) propamocarb-fosetyl,
- (12-1) captafol,
- (12-2) captan,

- (12-3) folpet,
- (12-4) iprodione,
- (12-5) procymidone,
- (12-6) vinclozolin,
- ~~(13-1) dodine,~~
- ~~(13-2) guazatine,~~
- ~~(13-3) iminoctadine triacetate,~~
- (14-1) cyazofamid,
- (14-2) prochloraz,
- (14-3) triazoxide,
- (14-4) pefurazoate,
- ~~(15-1) aldimorph,~~
- ~~(15-2) tridemorph,~~
- ~~(15-3) dodemorph,~~
- ~~(15-4) fenpropimorph,~~
- ~~(15-5) dimethomorph,~~
- (16-1) fenpiclonil,
- (16-2) fludioxonil,
- (16-3) pyrrolnitrin,
- (17-1) fosetyl-Al,
- (17-2) phosphonic acid,
- (18-1) 2-(2,3-dihydro-1H-inden-5-yl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-2) N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-2-(5,6,7,8-tetrahydronaphthalen-2-yl)acetamide,
- (18-3) 2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-4) 2-(4-bromophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,

- (18-5) 2-(4-methylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (18-6) 2-(4-ethylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (19-1) acibenzolar-S-methyl,
- ~~(19-2) chlorothalonil,~~
- (19-3) cymoxanil,
- (19-4) edifenphos,
- (19-5) famoxadone,
- (19-6) fluazinam,
- (19-7) copper oxychloride,
- (19-9) oxadixyl,
- (19-10) spiroxamine,
- (19-11) dithianon,
- (19-12) metrafenone,
- (19-13) fenamidone,
- (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
- (19-15) probenazole,
- (19-16) isoprothiolane,
- (19-17) kasugamycin,
- (19-18) phthalide,
- (19-19) ferimzone,
- (19-20) tricyclazole,
- (19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide,
- (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide,
- (20-1) pencycuron,
- (20-2) thiophanate-methyl,
- (20-3) thiophanate-ethyl,
- (21-1) fenoxanil,

- (21-2) diclocymet,
- (22-1) 5-chloro-*N*-[(1*S*)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine,
- (22-2) 5-chloro-*N*-[(1*R*)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine,
- (22-3) 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo[1,5-*a*]pyrimidine,
- (22-4) 5-chloro-6-(2,4,6-trifluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo[1,5-*a*]pyrimidine,
- ~~(23-1) 2-butoxy-6-iodo-3-propylbenzopyran-4-one,~~
- ~~(23-2) 2-ethoxy-6-iodo-3-propylbenzopyran-4-one,~~
- ~~(23-3) 6-iodo-2-propoxy-3-propylbenzopyran-4-one,~~
- ~~(23-4) 2-but-2-ynyloxy-6-iodo-3-propylbenzopyran-4-one,~~
- ~~(23-5) 6-iodo-2-(1-methylbutoxy)-3-propylbenzopyran-4-one,~~
- ~~(23-6) 2-but-3-ynyloxy-6-iodobenzopyran-4-one,~~
- ~~(23-7) 3-butyl-6-iodo-2-isopropoxybenzopyran-4-one,~~
- (24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-2) 3-(difluoromethyl)-*N*-{3'-fluoro-4'-[(*E*)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-3) 3-(trifluoromethyl)-*N*-{3'-fluoro-4'-[(*E*)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-4) *N*-(3',4'-dichloro-1,1'-biphenyl-2-yl)-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide,
- (24-5) *N*-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-2-methyl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide,
- (24-6) *N*-(4'-chloro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide,
- (24-7) *N*-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide, and

(24-8) 4-(difluoromethyl)-2-methyl-*N*-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-5-carboxamide.

Claims 22-24 (canceled)

Claim 25 (currently amended): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-2) *N*-[2-(1,3-dimethylbutyl)-phenyl]-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide and at least one active compound selected from groups (2) to (3), (5), (6), (8), (9), (11), (12), (14), (16) to (22), and (24).

Claims 26-29 (canceled)

Claim 30 (previously presented): A method comprising applying an effective amount of an active compound combination according to Claim 19 to seed.

Claim 31 (previously presented): Seed treated with a synergistic fungicidal active compound combination according to Claim 19.

Claim 32 (currently amended): A method of controlling ~~unwanted~~ phytopathogenic fungi comprising applying an effective amount of one or more active compound combinations according to Claim 19 to the ~~unwanted~~ phytopathogenic fungi and/or their habitat and/or seed for which such control is desired.

Claim 33 (currently amended): A method of protecting transgenic plants from ~~unwanted~~ phytopathogenic fungi comprising applying an effective amount of an active compound combination according to Claim 19 to the transgenic plants and/or their habitat.

Claim 34 (previously presented): A method according to Claim 30 wherein the seed is the seed of a transgenic plant.

Claim 35 (previously presented): A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim 19 with one or more extenders and/or surfactants.